

BATTEN LUMINAIRE



TECHNICAL DATA

Luminaire Body: Electrostatic Powder Coated Metal, GRP, PC, Plastic

Luminaire Optic: PC Diffuser

Led Type: Mid Power LED

Power(W): From 10W up to 40W

Mains Voltage(V): From 220-240V

Colour Temperature(K): 3000K-4000K

IP Protection: IP20 - IP40 - IP65

Working Temperature(°C): From -20°C up to +35°C

Body Colour: Ral 9003

* Other colours can be produced upon the customer's requests.

* DALI, Corridor Function and Emergency Lighting Unit Application (Up to 3 hours working) options can be produced upon the customer's requests.

INTRODUCTION

Batten lights are lighting fixtures that provide consistent, spot-free illumination throughout a space. They are prized for their remarkable energy efficiency. When compared to T5 fluorescent tubes, LED batten lighting fixtures can save users up to 40% on energy costs.


APPLICATION

- Schools
- Hospitals
- Sport Facilities
- Plants
- Residential Areas





TMS T5 Luminaire



TMS T5 Luminaire



TMS T5 Luminaire



TMS T8 Luminaire



TMS T8 Luminaire



TMS T8 Luminaire



Cove Lighting Luminaire



Cove Lighting Luminaire



Cove Lighting Luminaire



Batten Luminaire with IP65 Lamp holders



Batten Luminaire with IP65 Lamp holders



Batten Luminaire with IP65 Lamp holders



Fibreglass Luminaires with IP65 Lamp holders



Fibreglass Luminaires with IP65 Lamp holders



Fibreglass Luminaires with IP65 Lamp holders



Supermarket Luminaire