



INDOOR LIGHTING

Content of Indoor Lighting

Recessed Luminaire

- 7 Lamella Double Parabolic
- 9 Lamella Double Parabolic
- 9 Lamella Matte Double Parabolic
- Prismatic Lens Luminaire
- Opal Lens Luminaire
- UV-C Office Luminaire
- UV-C Sterile IP65 Luminaire
- Backlight Panel
- Mesh Louver Luminaire
- Panel Luminaire
- IP54 LED Sterile
- Slim LED Panel Luminaire
- Metal Suspended Ceiling Slim LED Panel Luminaire
- Drywall Ceiling Slim LED Panel Luminaire
- IP65 Tempered Glass Sterile Luminaire
- IP65 Tempered Glass Sterile Indirect Luminaire
- IP65 Sandblasted Glass Sterile Luminaire
- Indirect Parabolic Luminaire
- Indirect Louver Luminaire
- Perforated Indirect Luminaire
- Lamella Ceiling Luminaire
- Decorative Luminaire
- Linear Luminaire

Surface Mounted Luminaire

- 7 Lamella Double Parabolic Luminaire
- Prismatic Lens Luminaire
- Mesh Louver Luminaire
- Backlight Panel
- Panel Luminaire
- IP65 LED Sterile
- Perforated Indirect Luminaire
- Parabolic Perforated Indirect Luminaire
- Mesh Louver Indirect Luminaire
- IP65 Tempered Glass Parabolic Luminaire
- IP65 Sandblasted Glass Luminaire
- Negatoscope Luminaire
- Ultraviolet Luminaire
- Slim square Luminaire with Glass
- Decorative Luminaires
- UV-C Hangable/Portable Luminaire
- Slim LED Panel Pendant Luminaire
- Pendant Luminaire
- Linear Luminaire

Downlight/Spotlight

- Horizontal Downlight
- Vertical Downlight
- Aluminium Injection
- Inner Diffuser
- Flat Diffuser
- Recessed Mounted Downlight with Glass
- COB LED Downlight
- Slim LED Panel Downlight
- Surface Mounted Horizontal Downlight
- Surface Mounted Oval Downlight
- Surface Mounted Downlight with Glass
- Surface Mounted COB LED Downlight
- Surface Mounted Square Downlight with Glass
- Surface Mounted Spotlight
- Recessed Mounted Spotlight
- Track Spot Luminaire

Ceiling Luminaire

- LED Ceiling Luminaire
- 32W Ceiling Luminaire
- Globe Luminaire
- Globe Luminaire with Sensor
- LED with Sensor

Emergency Luminaire

- Emergency Spots
- Emergency LED Spots
- LED Lanterns
- Emergency Exit Luminaire
- Direction Legends

CEILING MOUNTED INDOOR LIGHTING



TECHNICAL DATA


Luminaire Body: Sheet Metal, Aluminium, Aluminium Extrusion
Luminaire Optic: Opal Diffuser
Led Type: Mid Power LED
Power(W): From 8W up to 80W
Mains Voltage(V): From 220-240V
Colour Temperature(K): 3000-6500K
IP Protection: IP20 - IP40 - IP65
Working Temperature(°C): From -20°C up to +50°C
Body Colour: Ral 9003
* Other colours can be produced upon the customer's requests.
* DALI, SwitchDIM and Emergency options can be produced upon the customer's requests.

INTRODUCTION

Ceiling-mounted lightings are light fixtures that are placed on a ceiling and project outward from the surface. There are a number of ceiling-mounted lights in various forms and configurations that may be used to disperse light by shining it up, down, or flat against the ceiling.

APPLICATION

- Residential Area
- Offices
- Conference Rooms
- Shopping Malls
- Hospitals
- Educational Facilities
- Lobbies





LED with Sensor



32W Ceiling Luminaire



Globe Luminaire



Globe Luminaire with Sensor