





INDOOR LIGHTING

Recessed Luminaire

- 7 Lamella Double Parabolic
- 9 Lamella Double Parabolic
- 9 Lamella Matte Double Parabolic
- Prismatic Lens Luminaire
- Opal Lens Luminaire
- UV-C Office Luminaire
- UV-C Sterile IP65 Luminaire
- Backlight Panel
- Mesh Louver Luminaire
- Panel Luminaire
- IP54 LED Sterile
- Slim LED Panel Luminaire
- Metal Suspended Ceiling Slim LED Panel Luminaire
- Drywall Ceiling Slim LED Panel Luminaire
- IP65 Tempered Glass Sterile Luminaire
- IP65 Tempered Glass Sterile Indirect Luminaire
- IP65 Sandblasted Glass Sterile Luminaire
- Indirect Parabolic Luminaire
- Indirect Louver Luminaire
- Perforated Indirect Luminaire
- Lamella Ceiling Luminaire
- Decorative Luminaire
- Linear Luminaire

Surface Mounted Luminaire

- 7 Lamella Double Parabolic Luminaire
- Prismatic Lens Luminaire
- Mesh Louver Luminaire
- Backlight Panel
- Panel Luminaire
- IP65 LED Sterile
- Perforated Indirect Luminaire
- Parabolic Perforated Indirect Luminaire
- Mesh Louver Indirect Luminaire
- IP65 Tempered Glass Parabolic Luminaire
- IP65 Sandblasted Glass Luminaire
- Negatoscope Luminaire
- Ultraviolet Luminaire
- Slim square Luminaire with Glass
- Decorative Luminaires
- UV-C Hangable/Portable Luminaire
- Slim LED Panel Pendant Luminaire
- Pendant Luminaire
- Linear Luminaire

Downlight/Spotlight

- Horizontal Downlight
- Vertical Downlight
- Aluminium Injection
- Inner Diffuser
- Flat Diffuser
- Recessed Mounted Downlight with
- · COB LED Downlight
- Slim LED Panel Downlight
- Surface Mounted Horizontal Downlight
- Surface Mounted Oval Downlight
- Surface Mounted Downlight with Glass
- Surface Mounted COB LED Downlight
- Surface Mounted Square Downlight with Glass
- Surface Mounted Spotlight
- Recessed Mounted Spotlight
- Track Spot Luminaire

Ceiling Luminaire

- LED Ceiling Luminaire
- 32W Ceiling Luminaire
- Globe Luminaire
- Globe Luminaire with Sensor
- LED with Sensor

Emergency Luminaire

- Emergency Spots
- Emergency LED Spots
- LED Lanterns
- Emergency Exit Luminaire
- Direction Legends



DOWN-LIGHT SPOT LIGHT



TECHNICAL DATA ·

Luminaire Body: Sheet Metal, Aluminium, Aluminium

Extrusion

Luminaire Optic: Opal Diffuser Led Type: Mid Power LED Power(W): From 8W up to 80W Mains Voltage(V): From 220-240V Colour Temperature(K): 3000-6500K IP Protection: IP20 - IP40 - IP65

Working Temperature(°C): From -20°C up to +50°C

Body Colour: Ral 9003

- Other colours can be produced upon the customer's requests.
- * DALI, SwitchDIM and Emergency options can be produced upon the customer's requests.



INTRODUCTION

A downlight is a light fixture that is put into a hollow aperture in a ceiling (mounted on or recessed) to direct light downward, whereas a spotlight is a light fixture that is fastened to a wall or ceiling and can generate numerous light beams to focus light directly onto a location or object. It looks like light is shining from a hole in the ceiling, focusing the light in a downward direction as a broad floodlight or narrow spotlight when it is placed.

APPLICATION Offices

- Conference Rooms
- **Shopping Malls**
- Hospitals
- **Educational Facilities**
- **Foyers**
- Metro









Horizontal Downlight



Vertical Downlight



Aluminium Injection



Inner Diffuser



Flat Diffuser



Recessed Mounted Downlight with Glass



COB LED Downlight



Slim LED Panel Downlight





Surface Mounted Horizontal Downlight



Surface Mounted Oval Downlight



Surface Mounted Downlight with Glass



Surface Mounted COB LED Downlight



Recessed Mounted Spotlight



Surface Mounted Spotlight



Track Spot Luminaires