



INDOOR LIGHTING

Content of Indoor Lighting

Recessed Luminaire

- 7 Lamella Double Parabolic
- 9 Lamella Double Parabolic
- 9 Lamella Matte Double Parabolic
- Prismatic Lens Luminaire
- Opal Lens Luminaire
- UV-C Office Luminaire
- UV-C Sterile IP65 Luminaire
- Backlight Panel
- Mesh Louver Luminaire
- Panel Luminaire
- IP54 LED Sterile
- Slim LED Panel Luminaire
- Metal Suspended Ceiling Slim LED Panel Luminaire
- Drywall Ceiling Slim LED Panel Luminaire
- IP65 Tempered Glass Sterile Luminaire
- IP65 Tempered Glass Sterile Indirect Luminaire
- IP65 Sandblasted Glass Sterile Luminaire
- Indirect Parabolic Luminaire
- Indirect Louver Luminaire
- Perforated Indirect Luminaire
- Lamella Ceiling Luminaire
- Decorative Luminaire
- Linear Luminaire

Surface Mounted Luminaire

- 7 Lamella Double Parabolic Luminaire
- Prismatic Lens Luminaire
- Mesh Louver Luminaire
- Backlight Panel
- Panel Luminaire
- IP65 LED Sterile
- Perforated Indirect Luminaire
- Parabolic Perforated Indirect Luminaire
- Mesh Louver Indirect Luminaire
- IP65 Tempered Glass Parabolic Luminaire
- IP65 Sandblasted Glass Luminaire
- Negatoscope Luminaire
- Ultraviolet Luminaire
- Slim square Luminaire with Glass
- Decorative Luminaires
- UV-C Hangable/Portable Luminaire
- Slim LED Panel Pendant Luminaire
- Pendant Luminaire
- Linear Luminaire

Downlight/Spotlight

- Horizontal Downlight
- Vertical Downlight
- Aluminium Injection
- Inner Diffuser
- Flat Diffuser
- Recessed Mounted Downlight with Glass
- COB LED Downlight
- Slim LED Panel Downlight
- Surface Mounted Horizontal Downlight
- Surface Mounted Oval Downlight
- Surface Mounted Downlight with Glass
- Surface Mounted COB LED Downlight
- Surface Mounted Square Downlight with Glass
- Surface Mounted Spotlight
- Recessed Mounted Spotlight
- Track Spot Luminaire

Ceiling Luminaire

- LED Ceiling Luminaire
- 32W Ceiling Luminaire
- Globe Luminaire
- Globe Luminaire with Sensor
- LED with Sensor

Emergency Luminaire

- Emergency Spots
- Emergency LED Spots
- LED Lanterns
- Emergency Exit Luminaire
- Direction Legends

RECESSED MOUNTED INDOOR LIGHTING



TECHNICAL DATA

Luminaire Body: Sheet Metal, Aluminium, Aluminium Extrusion

Luminaire Optic: Opal Diffuser

Led Type: Mid Power LED

Power(W): From 8W up to 40W

Mains Voltage(V): From 220-240V

Colour Temperature(K): 3000-6500K

IP Protection: IP20 - IP40 - IP65

Working Temperature(°C): From -20°C up to +50°C

Body Colour: Ral 9003

* Other colours can be produced upon the customer's requests.

* DALI, SwitchDIM and Emergency options can be produced upon the customer's requests.

INTRODUCTION

Recessed lighting positions a light source inside a wall, ceiling, or floor, projecting the light beam outward. Recessed and surface mounted lighting is a useful and modest light source that rests snugly against the ceilings. For filling parts of the rooms with modest light sources, they are the most adjustable and versatile lighting.

APPLICATION

- Offices
- Educational Facilities
- Foyers
- Shopping Malls
- Hospital and Wellness





7 Lamella Double Parabolic



9 Lamella Double Parabolic



9 Lamella Matte Double Parabolic



Prismatic Lens Luminaire



Opal Lens Luminaire



UV-C Office Luminaire



UV-C Sterile IP65 Luminaire



Backlight Panel



Ambiance Panel Series



Panel Luminaire



IP-54 Panel Sterile




Slim LED Panel Luminaire



Metal Suspended Ceiling Slim LED Panel Luminaire



Drywall Ceiling Slim LED Panel Luminaire




IP65 Tempered Glass Sterile Luminaire



IP65 Tempered Glass Sterile Indirect Luminaire



IP65 Sandblasted Glass Sterile Luminaire



Indirect Parabolic Luminaire



Indirect Louver Luminaire



Perforated Indirect Luminaire



Linear Luminaire