





# INDOOR LIGHTING

#### **Recessed Luminaire**

- 7 Lamella Double Parabolic
- 9 Lamella Double Parabolic
- 9 Lamella Matte Double Parabolic
- Prismatic Lens Luminaire
- Opal Lens Luminaire
- UV-C Office Luminaire
- UV-C Sterile IP65 Luminaire
- Backlight Panel
- Mesh Louver Luminaire
- Panel Luminaire
- IP54 LED Sterile
- Slim LED Panel Luminaire
- Metal Suspended Ceiling Slim LED Panel Luminaire
- Drywall Ceiling Slim LED Panel Luminaire
- IP65 Tempered Glass Sterile Luminaire
- IP65 Tempered Glass Sterile Indirect Luminaire
- IP65 Sandblasted Glass Sterile Luminaire
- Indirect Parabolic Luminaire
- Indirect Louver Luminaire
- Perforated Indirect Luminaire
- Lamella Ceiling Luminaire
- Decorative Luminaire
- Linear Luminaire

#### **Surface Mounted Luminaire**

- 7 Lamella Double Parabolic Luminaire
- Prismatic Lens Luminaire
- Mesh Louver Luminaire
- Backlight Panel
- Panel Luminaire
- IP65 LED Sterile
- Perforated Indirect Luminaire
- Parabolic Perforated Indirect Luminaire
- Mesh Louver Indirect Luminaire
- IP65 Tempered Glass Parabolic Luminaire
- IP65 Sandblasted Glass Luminaire
- Negatoscope Luminaire
- Ultraviolet Luminaire
- Slim square Luminaire with Glass
- Decorative Luminaires
- UV-C Hangable/Portable Luminaire
- Slim LED Panel Pendant Luminaire
- Pendant Luminaire
- Linear Luminaire

#### Downlight/Spotlight

- Horizontal Downlight
- Vertical Downlight
- Aluminium Injection
- Inner Diffuser
- Flat Diffuser
- Recessed Mounted Downlight with
- · COB LED Downlight
- Slim LED Panel Downlight
- Surface Mounted Horizontal Downlight
- Surface Mounted Oval Downlight
- Surface Mounted Downlight with Glass
- Surface Mounted COB LED Downlight
- Surface Mounted Square Downlight with Glass
- Surface Mounted Spotlight
- Recessed Mounted Spotlight
- Track Spot Luminaire

#### **Ceiling Luminaire**

- LED Ceiling Luminaire
- 32W Ceiling Luminaire
- Globe Luminaire
- Globe Luminaire with Sensor
- LED with Sensor

#### **Emergency Luminaire**

- Emergency Spots
- Emergency LED Spots
- LED Lanterns
- Emergency Exit Luminaire
- Direction Legends



## EMERGENCY LIGHTING





### TECHNICAL DATA -

Luminaire Body: Metal, Polymer Injection Body,

**Aluminium Extrusion** 

Luminaire Diffuser: Highly transmissive PMMA, Glass

Led Type: Continuous LED Luminaire Power(W): From 3W up to 10W Mains Voltage(V): From 220-240V Colour Temperature(K): 3000-6500K Discharging Time: Up to 6 hours IP Protection: IP20 - IP40 - IP60 Body Colour: Ral 9003

\* Other colours can be produced upon the customer's requests.

### **INTRODUCTION**

Emergency lighting fixtures are a battery-powered illumination gadget that automatically turns on when a building loses electricity.

#### APPLICATION

- Residential Areas
- Offices
- Hospitals
- Hotels
- Conference Rooms
- Shopping Malls
- Parking Areas















**Emergency LED Spots** 



**Emergency LED Spots** 



**Emergency LED Spots** 



**Emergency Spots** 



**LED Emergency Spots** 



**LED Lanterns** 



**LED Lanterns** 



**LED Lanterns** 





Pendant Emergency Exit Luminaire



Recessed Mounted Emergency Exit Luminaire



**Emergency Direction Legends**